

1 **REMARKS**

2 Claims 2-46, 48-78 and 80-87 are pending for consideration. In
3 view of the following remarks, Applicant respectfully requests that this
4 application be allowed and forwarded on to issuance.
5

6 **The § 102 Rejections**

7 Claims 1-22, 24-32, 34-38 and 40-87 stand rejected under 35
8 U.S.C. § 102(e) as being anticipated by U.S. Patent No. 6,460,058 to
9 Koppolu et al. (hereinafter "Koppolu").
10

11 **The § 103 Rejections**

12 Claims 23, 33 and 39 stand rejected under § 103(a) as being
13 unpatentable by Koppolu in view of U.S. Patent No. 6,606,606 to Starr
14 (hereinafter "Starr").
15

16 Before discussing the substance of the Office's rejections, the
17 following discussion of Applicant's disclosure as well as the Koppolu
18 reference is provided in an attempt to assist the Office in appreciating the
19 patentable distinctions between Applicant's claimed subject matter and the
20 cited reference.

21 **Applicant's Disclosure**

22 Perhaps a good place to start in describing the material of
23 Applicant's disclosure is with the environment in which Applicant's
24 embodiments operate. Specifically, the current popular paradigm in
25 software application design is to provide a separate and oftentimes

1 different window for each application that might be executing on a
2 computing device. When a user desires to use a particular application,
3 they will typically open up the application which will then be presented by
4 the computer system in the form of a window or windows that allows the
5 user to interact with the application. For example, a word processing
6 application (such as Microsoft Word) will typically be displayed in a
7 window that has an area for a user to create a document or retrieve and edit
8 a document that is already in existence. If a user wishes to read their
9 email, then they will typically open up an email application (such as
10 Microsoft Outlook) which will typically be displayed in another window
11 that is separate and different from the word processing window. Now, the
12 user has two windows to manage—a word processing window and an
13 email window.

14 Traditionally, a user has managed multiple windows through the use
15 of a task bar that is, many times, located at the bottom portion of a user
16 display. The task bar is a very thin bar that can extend across a good
17 portion of the user's display and includes references to applications or
18 documents that the user is using or has used. The user can "minimize" the
19 email window when, for example, they wish to work inside the word
20 processing application. When the email window is minimized, a reference
21 to the email application is placed in the task bar. If the user receives an
22 email during the course of working in the word processing application,
23 they can restore the email window by clicking on the reference to the
24 email application in their task bar. This restores the email application so
25 that the user can interact with and read their email. In the course of

1 reading an email message, the message is likely to be presented in yet
2 another window. If the user chooses to respond to the email message, they
3 typically prepare their response in a "reply" window which is yet a fourth
4 window that the user must manage.

5 The above-described scenario constitutes a simple example of a
6 window management scenario when the user has opened only two
7 applications. Consider the case where a user has multiple applications
8 (e.g. four or more) that they are working in throughout the day. As a
9 specific example, consider the following four exemplary applications that
10 a user might find necessary to use during the course of their computing
11 day: a word processing application, a presentation application (such as
12 Microsoft Powerpoint), a web browser application (such as Microsoft
13 Internet Explorer), and an email application.

14 What many users typically do is they open all of the applications
15 and then manage each application's separate and different window as they
16 need access to a different application. The application managing part of
17 the screen uses what is referred to as a "windowing environment." Yet,
18 windowing environments are not necessarily intuitive to all potential
19 computer users. User studies have consistently shown that one of the
20 biggest hurdles for new users of a windowing environment is learning to
21 understand a windowing system, where windows can "layer" on top of
22 each other. Consider, for example, Fig. 1 which shows an exemplary user
23 display 10 that includes four exemplary windows 12, 14, 16, 18,
24 respectively dedicated to a word processor application, a presentation
25 application, a web browser application, and an email application. These

1 windows are layered on top of one another which, for a new computer
2 user, can be a difficult concept to understand and manage. For example,
3 some users might not understand how to use a task bar to manage the
4 windows. They might, for example, inadvertently close an application
5 when they simply intended to minimize it. Additionally, the users might
6 not appreciate or understand how to move the separate windows around on
7 their display. Further, different windows can sometimes be inadvertently
8 clicked by a user. For example, while a user is in a window associated
9 with one application, they may inadvertently click the edge of a window
10 associated with another application, whereupon they find themselves in the
11 middle of a different application. Finally, many users simply do not
12 comprehend that their screen has multiple layers: they only think of the top
13 window as the one that they can interact with, as if the previous ones were
14 lost.

15 Windowing environments, however, do not just pose challenges to
16 newer computer users: they can sometimes pose challenges to users who
17 are familiar with such environments. Specifically, management of
18 multiple windows can be distracting to computer users, particularly when a
19 user has many different windows that they are attempting to manage. For
20 example, if a user has many different applications that they are executing
21 that are being managed by a task bar at the bottom of the user's display, to
22 switch from one application to another, the user must find the appropriate
23 task bar portion that references an application of interest. The user must
24 then click on the task bar portion to pull up the application. This scenario
25 can be complicated if, for example, the user has multiple documents in one

1 application that have been minimized, e.g. multiple word processing
2 documents or multiple email messages that they might intend to respond to
3 during the course of their day. This complicates the scenario because now
4 the task bar must maintain an entry for not only each of the user's
5 applications, but each of the documents within each application that might
6 have been minimized by the user as well. At this point, accessing the
7 minimized applications or document is not an easy task, but rather has
8 devolved into a trial and error hunting process. This is not an efficient way
9 for busy users to manage their applications and documents.

10 Consider now the approach described in Applicant's disclosure for
11 addressing these problems. Specifically, in accordance with one
12 embodiment, software provides a user interface (UI) that presents a user
13 with a single navigable window that can be navigated from functionality to
14 functionality and inside individual functionalities by a user. The user
15 interface enables the user to effectively manage multiple windows, and
16 hence multiple functionalities, by presenting only one window at a time.
17 This is different from the traditional windowing environment because the
18 windows that pertain to the individual functionalities are not layered on
19 one another and do not need separate management. *Another noteworthy*
20 *way that the single navigable window varies from the traditional*
21 *windowing environment is that the various functionalities are provided*
22 *by a single application.* That is, in the traditional windowing
23 environment, it is very typical for multiple windows to be provided by
24 multiple different applications that are opened by a user, e.g. a word
25 processing application will have one window, an email application will

1 have another window, a web browsing application will have another
2 window, and the like. All of these windows are separate and requirement
3 separate management by the user. *In the present case, various*
4 *functionalities that were once the domain of individual separate*
5 *applications are now the domain of a single integrated application which*
6 *provides its own window management scheme.* The window management
7 scheme is embodied in the form of a single navigable window that can be
8 navigated by a user from functionality to functionality.

9 A user, through the use of navigation instrumentalities can navigate
10 between the functionalities and when doing so, the single window ensures
11 that only one of these functionalities is presented to a user at a time. In
12 one embodiment, one navigation instrumentality is provided in the form of
13 a web browser-like navigation tool. The choice of a web browser-like
14 navigation tool follows from concerns that navigation instrumentalities be
15 of a type that is readily understood by most individuals familiar with
16 computing environments. Thus, when a user first encounters the inventive
17 navigable single window concept for the first time, they do not have to
18 learn an unfamiliar navigation concept. Another navigation instrumentality
19 includes, in accordance with another embodiment, links to each of the
20 multiple different functionalities. These links can be clicked on by a user
21 and the single navigable window is automatically navigated to the selected
22 functionality.

23 Fig. 3 shows but one exemplary user interface (UI) 300 in
24 accordance with one described embodiment. In the illustrated example, UI
25

1 300 includes a navigation bar 302, one or more command areas 304, and a
2 display or document area 306 that constitutes the single navigable window.

3 Navigation bar 302 is located adjacent the top of display area 306
4 and contains browser-like navigation buttons 308 in the form of a
5 "backward" button, a "forward" button, a "stop" button and the like. The
6 navigation bar can be located anywhere on the UI. Its illustrated
7 placement, however, is similar in appearance to the placement of
8 traditional web browsing navigation features. In addition to the navigation
9 buttons 308, the navigation bar 302 also includes, in accordance with one
10 embodiment, links 310 to the different functionalities that can be accessed
11 by the user. In the illustrated example, links to three exemplary
12 functionalities (i.e. functionality 1, functionality 2, and functionality 3) are
13 shown. These functionalities are typically different functionalities that can
14 enable a user to complete different respective tasks. Examples of different
15 tasks are given below in more detail. These functionalities are all provided
16 within the context of a *single application*. To access a particular
17 functionality, a user simply clicks on one of the links and a window that
18 pertains to the selected functionality is immediately presented in the
19 display area 306.

20 In accordance with one embodiment, command areas 304 are
21 located adjacent the top and left side of the display area 306. The
22 command area(s) can, however, be located in any suitable location. The
23 command areas provide commands that are both global in nature and
24 specific to the particular context the user has selected. For example, some
25 commands such as "search" and "help" might be considered as global in

1 nature since they can find use in many contexts. Other commands, such as
2 “text bold” or “forward” are more specific to the particular context that the
3 user has selected. For the “text bold” command, the user’s context may
4 likely be a word processing context, while the “forward” command may
5 likely be employed in an email context.

6 As an example of the single navigable window provided by a *single*
7 *application* consider Figs. 4 and 5.

8 In this example, the multiple functionalities 310 that can be
9 navigated by a user include a browser functionality (indicated by the home
10 icon), a mail functionality (indicated by the letter icon), a planner
11 functionality (indicated by the clock icon), a contacts functionality
12 (indicated by the people icon), a documents functionality (indicated by the
13 folder icon), and a links functionality (indicated by the world icon). These
14 functionalities are so-called “document-centric” functionalities because
15 they all relate in some way to a document that a user interacts with, e.g. a
16 Web page document, an email document, a calendar document, etc.

17 Fig. 4 shows an example of a display that is rendered in the display
18 area 306 when a user clicks on the link to the browser functionality. By
19 clicking on the link (i.e. the home icon) to the browser functionality, *single*
20 *application program software* executing on the user’s computer executes
21 to implement a browser functionality. In this example, the browser
22 functionality displays the user’s home page in display area 306. Notice
23 also that navigation buttons 308 are provided for navigation between the
24 different selectable functionalities. The command areas 304 contain
25 command sets that include commands that are specific to the context that

1 the user has selected. In this example, the user's context is a browsing
2 context. Accordingly, the leftmost command area contains commands that
3 are specific to the browsing functionality. Such commands include ones
4 that a user would normally expect to find in a web browser. Notice also
5 that the command area 304 adjacent the top of display area 306 also
6 contains commands that are specific to the browsing context, i.e. "Add to
7 Favorites" and an address well in which the user can type a URL of a
8 particular destination web site.

9 Fig. 5 shows an example of a display that is rendered in the display
10 area 306 when the user clicks on the link to the mail functionality (i.e. the
11 folder icon). By clicking on this link, *single application program*
12 *software* executing on the user's computer executes to implement the mail
13 functionality. In this example, the mail functionality displays a user's in
14 box with messages that have been received by the user. Notice that the
15 leftmost command area has been minimized by the user and that the
16 command area adjacent the top of the display area 306 contains commands
17 that are specific to the user's current context, e.g. "New" for generating a
18 new email message, "Reply" for replying to an email message, "Reply to
19 All" for replying to all recipients of an email message and the like.

20 Likewise, although not specifically illustrated, the user could have
21 displays for the planner, contacts, documents, and links functionalities
22 presented in the display area 306 by simply clicking on the links to these
23 specific functionalities. The navigation bar 308 provides the user with the
24 ability to navigate through these different functionalities in a browser-like
25 manner.

The Koppolu Reference

Koppolu describes a unified browsing environment based on a hyperlink navigation browsing model. Koppolu describes an object-oriented framework and system having objects, programming interfaces, object integration interfaces, and methods for supporting unified navigation among different varieties of documents, data, and *application programs*. Koppolu instructs that its disclosure overcomes the limitation in previous Internet browsers of navigating within a single application window, and provides seamless navigation between multiple document types and applications. See, e.g. column 3, lines 20-30.

Koppolu instructs that its object-oriented framework includes a hyperlink object which encapsulates information needed to navigate a hyperlink, and the action of navigating the hyperlink. The hyperlink object is described as a system-defined object which supports an integration interface that allows other programs to use the hyperlink object for navigating the hyperlink. The hyperlink object contains a moniker to a target of the hyperlink, a character string designating a destination location within the target, a descriptive name for the hyperlink ("friendly name"), and other parameters. See, e.g. column 3, lines 30-42.

Koppolu's object-oriented framework is described to further include a browse context object and integration interfaces for a hyperlink container object, a hyperlink target object and a hyperlink frame object. The browse context object maintains a history of navigated hyperlinks, and other context information for hyperlink navigation including window size

1 and position. *The integration interfaces of these objects allow multiple*
2 *different applications to interact with the browse context so as to*
3 *participate fully in hyperlink navigation.* With the browse context and
4 integration interfaces, *the applications* can provide "go back" and "go
5 forward" controls which retrace prior hyperlink navigation activity
6 between *the applications*. *The applications* also can use the browse
7 context to position and size the destination application window of the
8 hyperlink so as to create the appearance of replacing the originating
9 application window of the hyperlink. The system thereby allows seamless
10 hyperlink navigation between *different document types and applications*.

11 See, e.g. column 3, lines 42-61.

12 Koppolu's system also includes a set of programming interfaces
13 which allow *applications* to participate in unified browsing without
14 implementing objects to support the integration interfaces. See, e.g.
15 column 3, lines 61-65.

16 17 The Claims

18 Claim 4 recites a computing system comprising [emphasis added]:

- 19
- 20 • *a single application program* configured to provide:
 - 21 ○ a single navigable window;
 - 22 ○ multiple different functionalities to which the single
23 navigable window can be navigated by a user;
- 24
25

- o a navigation model that is configured to manage the user's navigation activities within *the single application program*; and
- o navigation instrumentalities comprising browser-like navigation buttons associated with the single navigable window, the navigation instrumentalities being configured for use by the user to navigate the single window inside individual functionalities and to the different functionalities.

In making out the rejection of claim 4, the Office argues that Koppolu anticipates this claim. Specifically, the Office argues that Koppolu discloses a single application program configured to provide a single navigable window and cites to Koppolu's Fig. 3 and 5 in support therefore. Additionally, the Office argues that Koppolu discloses multiple different functionalities to which the single navigable window can be navigated citing to column 8, lines 29-40 in support therefore. Further, the Office argues that Koppolu discloses a navigation model as recited in the claim citing to column 10, lines 1-29. Further, the Office argues that Koppolu discloses providing navigation instrumentalities associated with the single navigable window for use to navigate the window inside individual functionalities and to the different functionalities. For the reasons set forth below, Applicant respectfully traverses the Office's rejections.

As noted above, this claim recites a single application program configured to provide the single navigable window and the multiple different functionalities. Koppolu's column 8, lines 29-40, which the Office cites for the proposition of a single application program that

1 provides the single navigable window which can be navigated to the
2 multiple different functionalities states as follows:

3
4 The browser can be integrated with the operating system
5 software, or can be a separate application software. The illustrated
6 browser is implemented by the software as an OLE object
(described below).

7 The illustrated remote computer network 52 is the Internet,
8 which is described in the Background and Summary of the
9 Invention above. In the illustrated browsing environment 50, the
10 computer 20 connects to the computer network 52 over a telephone
11 line 54 with a modem 56. Other physical connections to the
12 computer network alternatively can be used, such as an ISDN, T1
or like high speed telephone line and modem, a television cable and
modem, a satellite link, an optical fiber link, an Ethernet or other
local area network technology wire and adapter card, radio or
optical transmission devices, etc.

13
14 This excerpt in no way describes or even suggests *a single*
15 *application program* configured to provide a single navigable window and
16 *multiple different functionalities* to which the single navigable window
can be navigated by a user.

17
18 Accordingly, for at least this reason, this claim is not anticipated by
Koppolu and is allowable.

19
20 Claims 2-3 and 5-13 depend from claim 4 and, as such, are
allowable as depending from an allowable base claim.

21
22 Claim 14 recites a computing system comprising [emphasis added]:

- 23
- *a single application program* configured to provide:
 - a single navigable window;
 - multiple different document-centric functionalities to
- 24 which the single navigable window can be navigated
- 25 by a user; and

- a navigation stack that is configured to enable the user to navigate the single navigable window back and forth between different functionalities.

In making out the rejection of claim 14, the Office again argues that this claim is anticipated by Koppolu. Applicant respectfully but strongly disagrees and traverses the Office's rejection.

Applicant respectfully submits that Koppolu does not disclose a *single application program* as recited in this claim.

Accordingly, for at least this reason, this claim is allowable

Claims 15-23 depend from claim 14 and, as such, are allowable as depending from an allowable base claim. In addition, given the allowability of the base claim, the rejection of claim 23 over the combination with Starr is not seen to add anything of significance.

Claim 24 recites a computing system comprising [emphasis added]:

- *a single application program* configured to:
 - display a single navigable window for a user to use in navigating between *multiple different functionalities* that can be provided by the *single application program*; and
 - incorporate different *functionalities* in an extensible manner so that the user can use the single navigable window to navigate to the different incorporated functionalities.

In making out the rejection of claim 24, the Office argues that Koppolu anticipates this claim. Applicant respectfully disagrees and traverses the rejection. Applicant respectfully submits that Koppolu does not disclose a *single application program* as recited in this claim.

Accordingly, for at least this reason, this claim is allowable.

1 **Claims 25-33** depend from claim 24 and, as such, are allowable as
2 depending from an allowable base claim. In addition, given the
3 allowability of the base claim, the rejection of claim 33 over the
4 combination with Starr is not seen to add anything of significance.

5 **Claim 34** recites a computing system comprising [emphasis added]:

- 6 • **a network-accessible single application program;**
- 7 • a single navigable window provided by the application
8 program;
- 9 • **multiple different functionalities provided by the**
10 **application program**, the program being configured so that a
11 user can navigate the single navigable window and interact
12 with the different functionalities to accomplish different
13 tasks; and
- 14 • a navigation stack that is configured to enable the user to
15 navigate the single navigable window back and forth
16 between different functionalities.

17 In making out the rejection of claim 34, the Office again argues that
18 this claim is anticipated by Koppolu. Applicant respectfully disagrees and
19 traverses the Office's rejection. Applicant respectfully submits that
20 Koppolu does not disclose a **single application program** as recited in this
21 claim.

22 Accordingly, for at least this reason, this claim is allowable.

23 **Claims 35-39** depend from claim 34 and, as such, are allowable as
24 depending from an allowable base claim. In addition, given the
25 allowability of the base claim, the rejection of claim 39 over the
combination with Starr is not seen to add anything of significance.

1 **Claim 40** recites a computing system comprising [emphasis added]:

- 2
- 3 • a software platform comprising software that is
- 4 configured to provide a *single application program* that
- 5 provides:
- 6 ○ a single navigable window;
- 7 ○ capabilities to navigate the single navigable window
- 8 to different functionalities that can enable a user to
- 9 accomplish different tasks;
- 10 ○ capabilities to manage navigation activities of the
- 11 user;
- 12 ○ capabilities to provide context-sensitive command
- 13 sets and change the command sets as a user's context
- 14 changes in accordance with the user's navigation
- 15 activities; and
- 16 ○ capabilities to receive and incorporate into the single
- 17 application program individual software components
- 18 that comprise *individual different functionalities*.

19 In making out the rejection of claim 40, the Office argues that the

20 subject matter of this claim is disclosed by Koppolu. Applicant

21 respectfully disagrees and traverses the rejection. Applicant respectfully

22 submits that Koppolu does not disclose a *single application program* as

23 recited in this claim.

24 Accordingly, for at least this reason, this claim is allowable.

25 **Claim 41** recites software code embodied on a computer-readable

medium which, when executed by a computer, provides a user interface

(UI) comprising [emphasis added]:

- *a single window* that is capable of being navigated to and
- between multiple different functionalities that enable a user
- to accomplish multiple tasks in connection with *a single*
- application that provides the multiple different*
- functionalities*; and

- navigation instrumentalities comprising browser-like navigation buttons that are configured to enable the user to navigate the single window to and between the multiple different functionalities.

In making out the rejection of claim 41, the Office argues that Koppolu anticipates this claim. Applicant respectfully disagrees and traverses the rejection. Applicant respectfully submits that Koppolu does not disclose a *single application program* as recited in this claim.

Accordingly, for at least this reason, this claim is allowable.

Claims 42-45 depend from claim 41 and, as such, are allowable as depending from an allowable base claim.

Claim 46 recites a computing method comprising [emphasis added]:

- displaying a user interface that comprises a *single navigable window* that can be navigated between *multiple different functionalities* that are *provided by a single application program*;
- receiving user input that indicates selection of a particular functionality;
- responsive to receiving said user input, navigating the single navigable window to the particular selected functionality and displaying in said window indicia of said functionality that can enable a user to accomplish a task associated with the particular selected functionality; and
- managing a user's navigation activities using a navigation model that maintains entries that correspond to the user's navigation activities.

In making out the rejection of claim 46, the Office argues that Koppolu anticipates this claim. Applicant respectfully disagrees and

1 traverses the rejection. Applicant respectfully submits that Koppolu does
2 not disclose a *single application program* as recited in this claim.

3 Accordingly, for at least this reason, this claim is allowable.

4 Claims 47-63 depend from claim 46 and, as such, are allowable as
5 depending from an allowable base claim.

6 Claim 64 recites one or more computer-readable media having
7 computer-readable instructions thereon which, when executed by a
8 computer, cause the computer to [emphasis added]:

- 9
10 • display a user interface that comprises:
 - 11 ○ a single navigable window that can be navigated
 - 12 between *multiple different functionalities* that are
 - 13 provided by *a single application program*; and
 - 14 ○ navigation instrumentalities that are configured to
 - 15 enable selection of a particular functionality, the
 - 16 navigation instrumentalities comprising links
 - 17 associated with each of the multiple different
 - 18 functionalities and browser-like navigation buttons
 - 19 that can be used by the user to navigate the single
 - 20 navigable window between the different
 - 21 functionalities;
- 22 • receive user input via said navigation instrumentalities
- 23 that indicates selection of a particular functionality; and
- 24 • responsive to receiving said user input, navigate the
- 25 single navigable window to the particular selected
- functionality and display in said window indicia of said
- functionality that can enable a user to accomplish a task
- associated with the particular selected functionality.

22 In making out the rejection of claim 64, the Office argues that
23 Koppolu anticipates this claim. Applicant respectfully disagrees and
24 traverses the rejection. Applicant respectfully submits that Koppolu does
25 not disclose a *single application program* as recited in this claim.

1 Accordingly, for at least this reason, this claim is allowable.

2 Claims 65-66 depend from claim 64 and, as such, are allowable as
3 depending from an allowable base claim.

4 Claim 67 recites a computing method comprising [emphasis
5 added]:

- 6 • providing *a single application program* that is configured to
7 display a single navigable window *for a user to use in*
8 *navigating between multiple different functionalities that*
9 *can be provided by the single application program*; and
- 10 • incorporating different functionalities in an extensible
11 manner into the single application program so that the user
12 can use the single navigable window to navigate to the
13 different incorporated functionalities.

14 In making out the rejection of claim 67, the Office argues that
15 Koppolu anticipates this claim. Applicant respectfully disagrees and
16 traverses the rejection. Applicant respectfully submits that Koppolu does
17 not disclose a *single application program* as recited in this claim.

18 Accordingly, for at least this reason, this claim is allowable.

19 Claims 68-72 depend from claim 67 and, as such, are allowable as
20 depending from an allowable base claim.

21 Claim 73 recites a computing method comprising [emphasis
22 added]:

- 23 • displaying a user interface that comprises *a single navigable*
24 *window* that can be navigated between *multiple different*
25 *document-centric functionalities* that are provided by *a*
single application program;
- receiving user input that indicates selection of a particular
document-centric functionality;

- responsive to receiving said user input, navigating the single navigable window to the particular selected document-centric functionality and displaying in said window indicia of said functionality that can enable a user to accomplish a task associated with the particular selected functionality; and
- managing a user's navigation activities using a navigation model that maintains entries that correspond to the user's navigation activities.

In making out the rejection of claim 73, the Office argues that Koppolu anticipates this claim. Applicant respectfully disagrees and traverses the rejection. Applicant respectfully submits that Koppolu does not disclose a *single application program* as recited in this claim.

Accordingly, for at least this reason, this claim is allowable.

Claims 74-87 from claim 73 and, as such, are allowable as depending from an allowable base claim.

Conclusion

All of the claims are in condition for allowance. Accordingly, Applicant requests a Notice of Allowability be issued forthwith. If the Office's next anticipated action is to be anything other than issuance of a Notice of Allowability, Applicant respectfully requests a telephone call for the purpose of scheduling an interview.

Respectfully submitted,

Dated: 02/28/09

By: 

Lance R. Sadler
Reg. No. 38,605
(509) 324-9256